

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors	Ref #
1	BR S	2407	push near2 pull\$4 near2 amplif\$4	USPAT	2008/01/ 02 16:57				S1
2	BR S	31775 8	transistor\$2	USPAT	2008/01/ 02 18:25				S2
3	BR S	5862	current near2 sens\$4 near2 resistor\$2	USPAT	2008/01/ 02 18:25				S3
4	BR S	3894	quiescent near2 current\$2	USPAT	2008/01/ 02 18:25				S4
5	BR S	18630	distortion near2 (compensat\$4 or reduc\$4 or cancel\$4 or null\$4)	USPAT	2008/01/ 02 18:03				S5
6	BR S	1074	output near2 impedance\$2 near2 (reduc\$2 or optimiz\$4 or minimiz\$4 or null\$4 or compensat\$4)	USPAT	2008/01/ 02 17:34				S6
7	BR S	0	S1 and S2 and S3 and S4 and S5 and S6	USPAT	2008/01/ 02 16:45				S7
8	BR S	0	S1 and S2 and S3 and S4 and S6	USPAT	2008/01/ 02 16:46				S9
9	BR S	225	330/265.ccls.	USPAT	2008/01/ 02 18:21				S1 8
10	BR S	111	330/268.ccls.	USPAT	2008/01/ 02 18:22				S1 9
11	BR S	62292 4	transistor\$2	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 02 18:25				S2 2

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors	Ref #
12	BR S	2	S1 and S2 and S3 and S4 and S5	USPAT	2008/01/ 02 16:46				S8
13	BR S	3569	current near2 sens\$4 near2 resistor\$2	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 02 18:25				S2 3
14	BR S	2	S22 and S23 and S24 and S25 and S26 and S27	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 02 18:28				S2 9
15	BR S	2767	push near2 pull\$4 near2 output\$2	USPAT	2008/01/ 02 18:26				S1 0
16	BR S	3	S2 and S3 and S4 and S5 and S10	USPAT	2008/01/ 02 16:58				S1 1
17	BR S	27272	output near2 impedance\$2	USPAT	2008/01/ 02 18:26				S1 2
18	BR S	54624 5	bias\$4	USPAT	2008/01/ 02 18:27				S1 4
19	BR S	3	S11 and S12	USPAT	2008/01/ 02 18:03				S1 3
20	BR S	16021 2	distortion	USPAT	2008/01/ 02 18:26				S1 5
21	BR S	4	S2 and S3 and S4 and S10 and S12 and S15	USPAT	2008/01/ 02 18:22				S1 6

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Error	Ref #
23	BR S	258	330/264.ccls.	USPAT	2008/01/ 02 18:20				S1 7
24	BR S	49	330/274.ccls.	USPAT	2008/01/ 02 18:22				S2 0
25	BR S	8	S2 and S3 and S4 and S10 and S14	USPAT	2008/01/ 02 18:23				S2 1
26	BR S	3186	quiescent near2 current\$2	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 02 18:25				S2 4
27	BR S	2882 3	output near2 impedance\$2	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 02 18:26				S2 6
28	BR S	2756 10	distortion	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 02 18:26				S2 7
29.	BR S	6618 45	bias\$4	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 02 18:27				S2 8

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors	Ref #
30	BRS4		S22 and S23 and S24 and S25 and S28	US-PGPUB; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2008/01/ 02 18:28				S31